


Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.09

ALBERT AROZENA NURSERY
 1518 EAST ROSECRANS AVENUE
 COMPTON 2, CALIFORNIA



WHOLESALE GROWERS
 OF
 CACTI & SUCCULENTS

PRICE LIST
 FOR
NOVEMBER - 1953

SALES CONDITIONS

Prices include packing but not transportation costs. Quantities quoted are minimum at these prices. This list supersedes and cancels all previous lists. Cash should accompany all orders unless credit has already been established. All material is offered subject to the prior sale of stock on hand.

ALL-IN-ONE ASSORTMENT

100 plants, unlabeled, 50 varieties, two of each kind.....\$6.00
 This assortment continues to be our most popular assortment. Try it if you are seeking more variety. Fifty different varieties of both CACTI and SUCCULENTS in a well balanced collection.

CACTUS ASSORTMENT #1

100 plants, 10 varieties.....\$4.50
 An economical collection of sturdy plants that will hold up well under almost any condition.

COMBINATION ASSORTMENT

100 plants, 20 varieties, unlabeled.....\$4.00
 An assortment giving a wide range of colorful plants combining a selection of five plants of each kind of ten varieties of CACTI and ten varieties of SUCCULENTS. Ideal for planting attractive dish gardens and novelty containers.

ECHEVERIA & SEMPERVIVUM ASSORTMENT

100 plants, 10 or more varieties.....\$4.00
 Echeverias and Sempervivums are among the most colorful of all succulents and have a great many fanciers. This collection contains at least 10 varieties of well rooted plants from 2" to 3" in size.

SUCCULENT ASSORTMENT

100 rooted plants, 10 varieties.....\$3.50
 Includes Echeverias, Crassulas, Sedums and Aloes in a colorful array.

ROLL 2000
200
1902 - 1903

CHILOSO MANGROVE
20
1902-1903

BIOLOGICAL NOTES

REMARKS ON THE JAPANESE MANGROVE
The Japanese mangrove is a very common tree throughout the entire
area. It is a tall, slender tree with a trunk about 10 inches in diameter
and a height of 30 to 40 feet. The leaves are long and narrow, and
the flowers are small and white. The fruit is a small, round, yellowish
berry.

KAGOSHIMA MANGROVE

REMARKS ON THE KAGOSHIMA MANGROVE
The Kagoshima mangrove is a very common tree throughout the entire area.
It is a tall, slender tree with a trunk about 10 inches in diameter
and a height of 30 to 40 feet. The leaves are long and narrow, and
the flowers are small and white. The fruit is a small, round, yellowish
berry.

IN THE HOKKAIDO REGION

REMARKS ON THE HOKKAIDO MANGROVE
The Hokkaido mangrove is a very common tree throughout the entire area.
It is a tall, slender tree with a trunk about 10 inches in diameter
and a height of 30 to 40 feet. The leaves are long and narrow, and
the flowers are small and white. The fruit is a small, round, yellowish
berry.

TOKYO GUARDIAN

REMARKS ON THE TOKYO GUARDIAN MANGROVE
The Tokyo Guardian mangrove is a very common tree throughout the entire area.
It is a tall, slender tree with a trunk about 10 inches in diameter
and a height of 30 to 40 feet. The leaves are long and narrow, and
the flowers are small and white. The fruit is a small, round, yellowish
berry.

SOUTHERN JAPAN

REMARKS ON THE SOUTHERN JAPAN MANGROVE
The Southern Japan mangrove is a very common tree throughout the entire area.
It is a tall, slender tree with a trunk about 10 inches in diameter
and a height of 30 to 40 feet. The leaves are long and narrow, and
the flowers are small and white. The fruit is a small, round, yellowish
berry.

CHILOSO MANGROVE

REMARKS ON THE CHILOSO MANGROVE
The Chiloso mangrove is a very common tree throughout the entire area.
It is a tall, slender tree with a trunk about 10 inches in diameter
and a height of 30 to 40 feet. The leaves are long and narrow, and
the flowers are small and white. The fruit is a small, round, yellowish
berry.

GENERAL PRICE LIST

Prices & Numbers	
Of Plants	
(10)	(100)

"CACTI"

Note: Reference numbers in parentheses refer to the illustrations in
 "CACTI FOR THE AMATEUR"

ASTROPHYTUM myriostigma - 1" to 1½" seedlings.....	.51	1.00	\$.80
"Bishop's Cap." Beautiful silvery-gray, usually five ribbed spineless.			
CEREUS hybrid - 3" to 5" seedlings.....	.55		4.50
CEREUS hybrid - 7" to 9" seedlings.....	.75		6.00
One of the most popular plants for dish gardens. Erect dark green truly cactoid in appearance.			
CLEISTOCACTUS strausii - 2½" to 3½" seedlings.....	.75		6.00
Very handsome plant, completely covered with creamy white bristles.			
ECHINOPSIS hybrid - 1" to 1½" seedlings.....	.55		4.50
Attractive, dark green, globular plants.			
ESPOSTOA lanata - 1½" to 2" seedlings.....	1.25		10.00
Beautiful type of "OLD MAN CACTUS." Columnar plants densely covered with long soft, pure white wool or hair.			
HAMATOCACTUS setispinus - 1" to 1½" seedlings.....	.60		5.00
Spherical; attractive, yellow spines. (Pl. 54)			
HARRISIA robusta hybrid - 3" to 4" seedlings.....	.55		4.50
Slender curved plants of unusual dark maroon color. Especially recommended for "Tails."			
MAMMILLARIA bocasana - 1" to 1½" seedlings.....	.75		6.00
Entire plant covered with fine silky white hair. Very popular.			
MAMMILLARIA pringlei - 1½" seedlings.....	.75		6.00
Very popular neat plant, recurved golden spines.			
MAMMILLARIA werdermaniana - 1" to 1½" seedlings.....	.75		6.00
Dainty plant with white spines tipped with red.			
MONVILLEA diffusa - 4" to 6" seedlings.....	.55		4.50
One of the best plants for "Tails" in novelty animal pots. Dark green with soft light spines.			
MYRTILLOCACTUS geometrizans - 3" to 5" seedlings.....	.75		6.00
Beautiful light blue, columnar type.			
OLD MAN CACTUS - See Espostoa lanata.			
OPUNTIA basilaris - 2" to 3" rooted cuttings.....	.55		4.50
Small, smooth, purplish, flattened pads, almost spineless.			
OPUNTIA elata - 2½" to 3½" rooted cuttings.....	.55		4.50
Shiny, dark green, spineless.			
OPUNTIA exaltata - 4" to 6" rooted cuttings.....	.75		6.00
Heavy columnar type; long round leaves from each areal during the growing season. Very unusual.			
OPUNTIA microdasys - 2½" to 3½" rooted cuttings.....	.55		4.50
Small, flat stems dotted with yellow clusters of small spinelets.			
Very popular. (Pl. 17)			
OPUNTIA monacantha eared fruit - 2 or more "Ears" or branches....	.55		4.50
Bright green pods with two or more flat branches or "Ears."			
OPUNTIA monacantha variegata - 4" to 6" rooted cuttings.....	.75		6.00
"Joseph's Coat." Light yellow and green mottled; new growth often pink.			
OPUNTIA rufida - 2½" to 3½" rooted cuttings.....	.55		4.50
Flat, round pads with small tufts of red glochids.			
OPUNTIA schickendantzii - eared fruit.....	.55		4.50
Two or more "Ears."			
OPUNTIA vilis - 3" to 4" plants with small branches.....	.55		4.50
Cylindrical trunk; branches like a small tree.			

"SUCCULENTS"

Note: Reference numbers in parentheses refer to the illustrations in
 "SUCCULENTS FOR THE AMATEUR"

<i>AEONIUM tournefortii</i> - rooted cuttings.....	.40	\$3.50
Small rosettes of gray-green leaves with small brown spots on the under side.		
<i>ADROMISCHUS cristatus</i> - 2" to 2½" plants.....	.90	7.50
Rosette type. Leaves green almost round, very wavy or undulate at the tips. (Fig. 141)		
<i>ALOE aristata</i> - 2" to 2½" seedlings.....	.90	7.50
Very thin leaves of dark green, generously sprinkled with white dots tapering to a compact rosette of delicate beauty.		
<i>ALOE hum-vir</i> - 2½" plants.....	.55	4.50
Erect growth in rosette form. Leaves about ¼" across and almost round. Light green color. This plant is distinct because of the wiry hard texture of it's cylindrical light green leaves.		
<i>ALOE striata</i> - 2" to 2½" seedlings.....	.55	4.50
Handsome plant. Leaves grayish bordered with red; completely spineless.		
<i>CRASSULA arborescens</i> - 3" to 4" branched plants.....	.40	3.50
Round, thick, shiny green leaves edged with red.		
<i>CRASSULA hemispherica</i> - 1" to 1½" seedlings.....	.90	7.50
Small, round, close-set, overlapping leaves forming a tight button-like rosette. (Fig. 154)		
<i>CRASSULA imperialis</i> - 3" to 4" branched plants.....	.50	4.00
Similar to <i>C. lycopodioides</i> except the stems are twice as thick and the plant branches more freely.		
<i>ECHEVERIA bradburyiana</i> - 2" to 2½" plants.....	.55	4.50
Rosette type with long grayish tapered leaves flecked with maroon.		
<i>ECHEVERIA elegans</i> - 2" to 2½" plants.....	.55	4.50
Very attractive, compact, silvery-white rosette.		
<i>ECHEVERIA perbella</i> hybrid - 2" to 2½" plants.....	.55	4.50
Grows exceptionally well. Very firm light green leaves.		
<i>ECHEVERIA pulv-oliver</i> - 2" to 2½" plants.....	.55	4.50
Long, tapered, felted, flexible leaves tipped with red.		
<i>EUPHORBIA hermentiana</i> - 6" to 9" rooted cuttings.....	.90	7.50
<i>EUPHORBIA hermentiana</i> - 10" to 14" rooted cuttings.....	1.20	10.00
Three-angled, columnar plants with marbled surface and ornamented with small rows of leaves on the angles.		
<i>FAUCARIA</i> hybrids assorted - 1½" to 2" seedlings.....	.50	4.00
Unlabeled assortment to include several types of beautiful seedlings.		
<i>GASTERIA</i> hybrid - 3" to 3½" seedlings.....	.60	5.00
Dark green plants from selected fast-growing seed parents.		
<i>GASTROLEA beguinii</i> - 2" to 2½" plants.....	.75	6.00
Many white dots on both sides of dark green tapered leaves which form an attractive rosette.		
<i>HAWORTHIA fasciata</i> - 1½" to 2" plants.....	1.00	8.00
Probably the most striking of all Haworthias. Thin, tapering dark green leaves with a series of raised bands of white across the back of each leaf.		
<i>HERERIA dyeri</i> - 1½" to 2" seedlings.....	.50	4.00
"Elkhorn." Small plant with curious club-like leaves forming a cluster similar in appearance to the antlers of an elk.		
<i>PLEIOSPILOS bolusii</i> - 1½" plants.....	.60	5.00
Imitates pieces of granite; always excites curiosity.		
<i>PLEIOSPILOS nelii</i> - 1½" plants.....	.60	5.00
"AFRICAN LIVING ROCK." Leaves nearly round, reddish brown color.		

1. The first step in the process of
improving the quality of life in our
community is to identify the
problems we face. This can be done
through a variety of methods, such as
surveys, focus groups, and community
meetings. It is important to involve
a wide range of people from all
backgrounds and walks of life in
this process to ensure that the
problems identified are representative
of the entire community.

2. Once the problems have been
identified, it is time to develop
strategies to address them. This
involves setting specific goals
and objectives, identifying
the resources needed to achieve
these goals, and developing
a plan of action. It is also
important to involve the
community in the development
of these strategies to ensure
that they are practical and
feasible.

3. The third step is to implement
the strategies developed in
the previous step. This involves
allocating resources, assigning
responsibilities, and monitoring
progress. It is important to
keep the community informed
about the progress being made
and to make adjustments as
needed to ensure that the
strategies are effective.

4. Finally, it is important to evaluate
the effectiveness of the strategies
implemented. This involves
assessing the outcomes achieved
and comparing them against
the original goals and objectives.
It is also important to learn
from the experience gained
during the implementation
process to inform future
efforts.

<i>PLEIOSPILOS simulans</i> - 1½" plants.....	.60	\$5.00
Similar to <i>P. bolusii</i> but thick leaves are flat on the top, triangular below.		
<i>PORTULACARIA afra variegata</i> - 3" to 5" rooted cuttings.....	.60	5.00
Stems red; leaves round, yellow edged with red.		
<i>PUYA chilensis</i> - 3" to 5" seedlings.....	.75	6.00
Striking plant of the pineapple family. Leaves very thin, light green on the upper side, silvery-gray underneath.		
<i>SEDUM guatemalense</i> - rooted cuttings.....	.35	3.00
Stems densely covered with berry-like leaves, shiny green tinged red.		
<i>SEDUM linere variegata</i> - small clumps.....	.40	3.50
Fine, green and white leaves; erect growth.		
<i>SEMPERVIVUM arachnoidium</i> - 1" plants surrounded by a cluster of tiny offsets.....	.60	5.00
"COBWEBS." Small compact rosettes with the crown thickly covered with webs of fine wool.		
<i>SEMPERVIVUM calcareum</i> - 2" to 2½" plants.....	.55	4.50
Elegant, small rosette plant with numerous short, broad, gray leaves, sharply tipped with dull crimson. (Fig. 213)		
<i>STOMATIUM fulleri</i> - 1½" clusters.....	.50	4.00
Round, pebble-like, pale green leaves in close rosette. Something different.		

BOOKS EVERY DEALER SHOULD HAVE

- "CACTI FOR THE AMATEUR" - Haselton..... \$3.15 Cloth
- "SUCCULENTS FOR THE AMATEUR" - Brown..... \$3.15 Cloth
- These two books may be ordered from us. They are the most interesting amateur books ever published on CACTI and other SUCCULENTS. Now running into several reprintings. Both are profusely illustrated with photographic reproductions, also color plates, showing a large number of the plants which we list. These illustrations will aid you in selecting stock and in interesting your customers.
- Copies for resale can be obtained at liberal dealers' discount from the publisher.
- ABBEY PRESS - 132 WEST UNION STREET, PASADENA 1, CALIFORNIA

Return Postage Guaranteed By:

SEC. 34.66 P. L. & R.



ALERT AROZENA NURSERY
1518 EAST ROSECRANS AVENUE
COMPTON 2, CALIFORNIA

WHOLESALE GROWERS OF CACTI
AND SUCCULENTS

Price List For - NOVEMBER
1953

U.S. Department of Agriculture
Library
Washington 25, D. C.